

【 X431PRO Actual Measurement】 2015 Roewe 550 maintenance lamp return to zero operation method.

Actual Measurement: Roewe 550, 2015款, VIN=LSJW26H36FF0*****

Attention: Before executing the function, please switch on the ignition, then shut down the engine.

Function Description: :

1. Support Roewe550 car model.
2. Perform this function when the maintenance time expired.
3. The should be performed when the engine oil is replaced.


Operation Procedure:

1. Switch on the ignition, not start the engine;
2. Select maintenance lamp return to zero v10.42 above;
3. Select “Domestic car” see pic1;



图1

4. Select “Roewe” , see pic 2;




pic2

5. Select “Software return to zero” see pic3;



pic3

6. Select maintenance cycle reset, see pic4;



7. Reference Prompt info. Select “Confirm” see pic5;



图5

8. Follow the prompt message to operate. Automatic completion and manual completion;

a) Select 【Yes】 automatic completion see pic6;




图6

b) Select **【No】** display the input interface, Input the last maintenance date according to the prompt information, see pic7;



图7

c) Note that the next step is to enter the year (only year, not date), see pic8;



pic8

9. Select: “confirm”, Prompt “SIA” alarm lamp has been reset. Switch off the ignition , after 5secs ,switch on the ignition , “Completed” , see pic9。



pic9



长按指纹“识别二维码”关注 **golo官微**