【 X-431PADIII Online Programming 】 5seriesBMW F chassis series air-conditioner module setting code operation method

Actual Mearurement

BMW, VIN=LBVCU310XDSH****

Function Description

Applicable to the coding function of BMW air conditioning module. This is the chassis: F018 for operation instructions.

Note:

Before testing, please follow these instructions:

- If the vehicle equipped with the manual transmission, please step down and release the clutch pedal.
- -Vehicle Static
- Must apply parking brake.
- For manual transmission, Change the shift lever to a neutral position
- For automatic transmission, change the lever to P position

Operation Instruction

- 1. Choose BMW V49.20 above;
- 2. Choose coding/programming see pic1;





pic1

3. Choose 5 series, see as pic2;



pic2

4. Choose 5`_F10/F11/F18, see as pic3;



pic3

5. Choose programming and coding; see as pic4;





pic4

6. Choose coding, see pic 5;





pic5

7. Check the vehicle information and confirm that it is the same as the original car, as shown in figure 6;





pic6

8. After the "next step", select the code, as shown in figure 7;






pic7

9. Select AC (air-conditioning system - IHKA), as shown in figure 8;



10. Note that the re-coding takes a long time, as shown in figure 9;



pic9

11. The choice is that the execution results indicate that the "re-encoding has been completed", as shown in figure 10.

菜单	菜单显示	登录
宝马 V49-20。编码/编程 > 5系列 > 5_F1	0/E11/E18×編码/编程	
CIC (车辆信息电脑)		
PDC (驻车距离报警系统)		
CON (控制器)	信息 重新编码已完成	
FAS (驾驶员座椅模块)		
BFS (秦客座精模块)	确定	
FRM (脚部空间模块)		
AC (空调系统 - IHKA)		
R	### #TER	()

pic10



长按指纹"识别二维码"关注 golo官微